

Viscosity VG 40

NO	Properties	Range
1	Absolute Viscosity °60C Poise Min	800
2	Kinematic Viscosity °135C CST Min	250
3	Flash Point Min °C	220
4	Softening Point Min °C	40
5	Penetration 0.1 Min 25°C	80-100
6	Ductility On Min 25°C	75
7	Viscosity Ratio °60C Max	4
8	Solubility In Tce Min	99